



Models

Colour Temperature	Ref:
 Warm White 2800K - 3200K	51761-103186
 Daylight 4000K - 4500K	51761-103208
 Cool White 6000K - 6500K	51761-103219

Technical Details

Power	10 W
Tension	220-240V AC
Rated Voltage	190-260V AC
Frequency	50-60 Hz
Electric Insulation Class	I
Light Source	LUMILEDS SMD2835
LED number	12
Color Rendering Index (CRI)	80
Brightness	1350 lm
Luminous Efficiency	133 lm/W
LED Performance	145 lm/W
Use	Indoor, Outdoor
IP Protection	IP65

IK Protection	IK08
Material	Crystal, Aluminum
Installation	Surface
High	160 mm
Wide	130 mm
Lenght	40 mm
Room Temperature Work	-20 °C~+40 °C
Useful life	100,000 Hours
Type of regulation	TRIAC
Selectable Opening Angle	120
Light color	Cool White, Daylight, Warm White
Color Temperature	6000K - 6500K, 4000K - 4500K, 2800K - 3200K
Energy Efficiency 2023 (EU-2019/2015)	D



Description

The 10W HE PRO Dimmable LED floodlight IP65 is ideal for outdoors use where it can effectively replace traditional 100W floodlights. It has a rotating design that allows it to be positioned in many places.

Characteristics of the 10W 145 lm/W HE PRO Dimmable LED Floodlight IP65

This floodlight features SMD2835 LUMILEDS LED technology which provides outstanding performance **as well as a beam angle of 120°**. The light produced is of great quality as shown by its chromatic reproduction index higher than 80. It works at 220-240V AC.

It is made of aluminium, a solid and resistant material that ensures its durability. The built-in radiator guarantees optimum heat dissipation. It has an IP66 protection rating which makes it perfect for outdoor use.

Advantages of the 10W 145 lm/W HE PRO Dimmable LED Floodlight IP65

There are many advantages of this floodlight such as its long lifespan (approximately 50,000 hours), low maintenance, immediate start and flicker free to restore the lighting conditions prior to a power cut. And lastly, its low consumption ensures significant energy savings.

Without a doubt, **the 10W High Efficiency PRO Dimmable LED floodlight is a high-performance product with maximum energy efficiency.** Available at our online LED shop for an incredible price.

* This product has a pre-wiring of approximately 500mm.



Additional photographs

