



Models

Technical Details

| | |
|-------------------|-------------|
| Power: | 180 W |
| Frequency: | 50-60 Hz |
| Input: | 110-220V AC |
| Output: | 12V DC |
| Intensity Level: | 15 A |
| Protection Class: | I |
| Use: | Indoor |
| IP Protection: | IP20 |

| | |
|-----------------|-----------------|
| Material: | Aluminium |
| Size: | 40x100x200 mm |
| Height: | 40 mm |
| Width: | 100 mm |
| Length: | 200 mm |
| Warranty: | 3 Years |
| Certifications: | CE & RoHS, UKCA |



Description

The 12V power supply is ideal for connecting interior lighting systems that cannot be used with direct connection to the electrical network. It transforms the alternating supply of the electrical network, to 12V in continuous.

It has a nominal power of 180W. **Use indicated for permanent loads of up to 150W** . Its output current is 15A.

Its aluminum casing gives it great resistance and lightness. It has the CE and RoHS certificates that guarantee the quality and safety of the product, and also confirm that it does not contain toxic or dangerous materials.

It has a regulator through which we can adjust the continuous output voltage between a minimum of 10V and a maximum of 15V.

It also incorporates a voltage selector so that you can change the input voltage of the power supply, since one voltage or another is used depending on the country.



Additional photographs

