



## Models

Colour

Ref:

☐ White

35655-74877

☒ Black

35655-74886



## Technical Details

**Voltage:** 220-240V AC

**Multi-Voltage:** 100-240V AC

**Frequency:** 50-60 Hz

**Intensity Level:** 10A

**Use:** Indoor

**IP Protection:** IP20

**Material:** PC

**Installation:** Recessed

**Size:** 86x86 mm

**Height:** 86 mm

**Width:** 86 mm

**Working Temperature:** -10°C ~ +40°C

**Warranty:** 3 Years

**Certifications:** CE & RoHS, UKCA



## Description

This switch is the ideal solution to change giving a touch of design, the switches in your home. Available in two colours, they have a great resistance and durability. **The switches can control the same light from two different switches.** They are widely used in corridors where one switch is placed at the beginning and another at the end. They are also used in bedrooms where one switch is placed at the entrance and the other at the side of the bed. In its installation, the phase must go through the two switches before connecting to the lamp and in addition both switches must be joined by a pair of wires.

**These switches have the standard size**, so they can be installed in any frame. They come with a PC frame although it is possible to install them in the glass frame that can be found in the accessories section for a more professional finish. The glass frame includes the necessary elements to be able to be installed on a standard universal box.

**Electrical Mechanisms; Plugs ans Sockets de Direlec Group**



## Additional photographs

