





Models

Colour Temperature	Ref:
Warm White 2700K	3421-7499
Daylight 4000K	3421-7500
Cool White 6000K	3421-7501

Technical Details

Power	7 W
Tension	220-240V AC
Rated Voltage	100-240V AC
Frequency	50-60 Hz
Electric Insulation Class	II
Adjustable	No
Color Rendering Index (CRI)	90
Brightness	630 lm
Luminous Efficiency	90 lm/W
Addressable	Yes
Use	Indoor
IP Protection	IP40

UGR 23
Aluminum
Recessed
70 mm
85 mm
-20 °C~+40 °C
40,000 Hours
60
Warm White, Cool White, Daylight
2700K, 6000K, 4000K
F





Description

This Silver Round 7W (UGR19) Flicker-free COB LED Downlight Ø 70mm Cut-Out is a very versatile product that allows us to point light in specific directions in function with our immediate needs, providing us with a considerable amount in energy savings.

Characteristics of this Silver Round Adjustable 7W (UGR19) Flicker-free COB LED Downlight Ø 70mm Cut-Out

Featuring an LED optic that gives off a total power of 7W, it provides us with a brightness of 560 lumens, which is enough to replace conventional downlights of up to 50W. The high quality light is emitted within a 60° angle and has an Ra>80 Colour Rendering Index.

Made from aluminium with an elegant finish, this Round 7W (UGR19) LED Downlight Ø 70mm Cut-Out has an estimated 30,000 hour working life. Its installation is very simple and only requires a Ø65mm cut-out on the surface in which it's installed.

By choosing LED lighting, we're not only choosing to save on our electrical bill, but we're also choosing technology that's more ecological, of a higher quality and lasts 10 times longer than traditional lighting systems.

All the characteristics of this LED lighting provide us with a great performance. **Perfect for using in indoor areas where we don't need a large amount of light**. It's mostly used in passing areas, like hallways, stairs, entrances, etc.





Additional photographs

