







Models

Colour Temperature	Ref:
Warm White 3000K	472-1069
Daylight 4000K	472-1070

Technical Details

Power	1.5 W
Tension	220-240V AC
Frequency	50-60 Hz
Adjustable	No
Light Source	COB
LED number	1
Color Rendering Index (CRI)	70
Brightness	165 lm
Use	Indoor
IP Protection	IP40
IP Protection Material	IP40 ABS

Lenght 53 mm Detector Dusk to Dawn, PIR Detection Angle 120 ° Useful life 50.000 Hours Certificates RoHS, CE, UKCA Warranty 5 Years Light color Daylight, Warm White	High	94 mm
DetectorDusk to Dawn, PIRDetection Angle120 °Useful life50.000 HoursCertificatesRoHS, CE, UKCAWarranty5 YearsLight colorDaylight, Warm White	Wide	94 mm
Detection Angle 120 ° Useful life 50.000 Hours Certificates RoHS, CE, UKCA Warranty 5 Years Light color Daylight, Warm White	Lenght	53 mm
Useful life 50.000 Hours Certificates RoHS, CE, UKCA Warranty 5 Years Light color Daylight, Warm White	Detector	Dusk to Dawn, PIR
Certificates RoHS, CE, UKCA Warranty 5 Years Light color Daylight, Warm White	Detection Angle	120°
Warranty 5 Years Light color Daylight, Warm White	Useful life	50.000 Hours
Light color Daylight, Warm White	Certificates	RoHS, CE, UKCA
	Warranty	5 Years
Color Temperature 4000K, 3000K	Light color	Daylight, Warm White
	Color Temperature	4000K, 3000K
F	Energy Efficiency 2023 (EU- 2019/2015)	F






Ref: 472

Ambience



Measures





Ref: 472

Description

This LED beacon with a PIR sensor is made from high quality ABS material, making it flame resistant and giving it an elegant and modern design. Made with a 1.5W COB LED, it emits 165 lumens and a soft, uniform and well-distributed white light that doesn't bother the eyes. The driver is included inside. The beacon remains off until the infrared sensor detects movement within its range (1-1.5 meters and a 120° angle), 60 seconds after the first movement was detected, the device switches off. This allows the bulb a longer lifespan and provides a great way to save energy. Its many different uses include: stairwells, corridors, lift entrances, car parks, hotels, etc...



Ref: 472

Additional photographs





