



Models

Technical Details

| | |
|--|---------------|
| Tension | 220-240V AC |
| Rated Voltage | 85-265V AC |
| Frequency | 50-60 Hz |
| Casquillo | T8 |
| Light Source | SMD3014 |
| Light color | Cool White |
| Color Temperature | 6000K - 6500K |
| Color Rendering Index (CRI) | 80 |
| Brightness | 1800 lm |
| Energy Efficiency 2023 (EU-2019/2015) | F |
| Use | Indoor |

| | |
|---------------------------------|---------------|
| IP Protection | IP44 |
| Material | Pc, Aluminum |
| Lenght | 1200 mm |
| Diameter | 26 mm |
| Detector | PIR |
| Detection Angle | 180 ° |
| Room Temperature Work | -20 °C~+45 °C |
| Useful life | 50,000 Hours |
| Tube Length | 120 cm |
| Selectable Opening Angle | 160 |



Description

This 18W T8 LED Tube has PIR Motion Detection, emits a brightness of 1800 lumens, has a 30,000 hour lifespan and comes in a translucent cover.

The detector senses invisible infrared emissions coming from either people or heat sources without emitting any radiation, activating only when a heat source moves in front of the switch and then, after 30 or 40 seconds, turning off once the heat source is no longer in range.

For the tubes to function correctly, we recommend that they be installed in **open luminaires**.

*Led Starter not included.

*T8 LED Tube Installation Guide



Additional photographs

