



Models

Colour	Ref:
<input type="checkbox"/> White	63707-124679

Technical Details

Maximum Power	360 W
Tension	220-240V AC
Rated Voltage	100-240V AC
Frequency	50-60 Hz
Use	Indoor
IP Protection	IP20
Material	Pc

High	52 mm
Wide	52 mm
Lenght	26 mm
Working temperature	0°C - 0°C
Room Temperature Work	0°C - 0°C
Type of regulation	TRIAC
Colour	White



Description

The **Tiac RF/Pushbutton LED Dimmer** uses wireless technology in **the 2.4 GHz band**. It is specially developed for the control of dimmable LED lamps as well as incandescent or halogen lamps without the need for wiring.

Thanks to this dimmer, it is possible to manually change the luminosity of the luminaires, creating various environments for different occasions and needs.

This dimmer can have several control places, either wireless or classic buttons connected by cable.

Characteristics of the Tiac RF/Pushbutton LED Dimmer
behind the pushbutton or inside the junction box, as it is only **26 mm thick**.

It incorporates **two types of dimming, beginning and end of phase**. Both can be selected by means of the selector that incorporates the dimmer according to the requirements specified by the lamp used in each case.

The control can be carried out with the **RF Controller for 1-10V and Triac dimmer, the LED Universal Switch Dimmer 1-10V and Triac** as well as classic buttons.

Operation of the Tiac RF/Pushbutton LED Dimmer

The use of the **Tiac RF/Pushbutton LED Dimmer** is very simple. To turn the luminaires on and off you only have to press the button briefly and, when you want to dim the intensity of the luminaire, you have to keep the button pressed until you reach the desired intensity. The dimmer has a memory for storing the brightness at which the luminaire has been switched off.

Don't miss this opportunity, and take advantage of it to enjoy the best quality lighting, accompanied by elegance and style.



Additional photographs



Wiring diagram

