





Models

Colour Temperature	Ref:
 Warm White 3000K	5354-12191
 Daylight 4000K	5354-12192
 Cool White 6000K	5354-12193

Technical Details



Power	1.5 W
Tension	220-240V AC
Frequency	50-60 Hz
Electric Insulation Class	II
Adjustable	No
Light points	1
Light Source	SMD
LED number	35
Brightness	100 lm
Use	Indoor, Outdoor
IP Protection	IP65
IK Protection	IK06

Material	Pc
Colour	Black
Installation	Surface
High	230 mm
Wide	80 mm
Lenght	33 mm
Style	Modern, Minimalist
Space	Terraces / Balconies, Yard
Light color	Warm White, Cool White, Daylight
Color Temperature	3000K, 6000K, 4000K
Energy Efficiency 2023 (EU-2019/2015)	F



Ambience

Measures





Description

This Grey 1.5W Chester Light (IP65) is a signal light with an elegant and modern design that will provide outdoor spaces with a minimalist touch. **The light emitted by this outdoor step light is provided by 1.5W SMD LEDs.** The power of this step light is provided by a connection straight to the mains, as it works at 220V.

Its high quality PC finish and an IP65 Protection factor make this light highly resistant to dust and water. Therefore, it can be installed in a large variety of spaces such as balconies, facades, gardens or outdoor areas. It can be attached to any surface by just screwing it into any wall. As a way of maintaining IP65 Protection, the client must make sure to keep these components correctly protected.

Thanks to a wide variety of lights, you can find everything you need here on our online lighting shop and make the most of your outdoor spaces.

* Product colour is RAL 7009



Additional photographs

