





Models

Colour Temperature	Ref:
Warm White 3000K	3626-8201
Cool White 4000K	3626-8202
Daylight 6000K	3626-8203

Technical Details

Power:	30 W
Power Factor:	0.90
Voltage:	220-240V AC
Frequency:	50-60 Hz
Protection Class:	I
Light Source:	SMD2835
Lumens:	3000 lm
Luminous Efficiency:	100 lm/W
LED Performance:	120 lm/W
Energy Efficiency 2021 (UE- 1369/2017):	A+
Energy Efficiency 2023 (UE- 2019/2015):	F
Beam Angle:	110°
Lens Type:	Transparent

Use:	Outdoor
IP Protection:	IP65
IK Protection:	IK08
Material:	Glass, Aluminium
Installation:	Surface
Size:	195x142x30 mm
Height:	195 mm
Width:	142 mm
Length:	30 mm
Life Span:	60,000 Hours
Warranty:	3 Years
Certifications:	CE & RoHS, TÜV





Description

This White 30W Slim LED Floodlight stands out for its compact design and minimalist finish.

Characteristics of this White 30W Slim LED Floodlight

The incorporated light source is perfect for replacing a 230W halogen bulb and saving in energy consumption. It's therefore an ideal unit for being installed in outdoor areas.

It has a special glass prismatic diffuser that noticeably reduces annoyances caused by glare, providing a UGR<19 glare factor, making this floodlight perfect for all sorts of areas. Also, as it has an IP65 Protection factor, and also an aluminium housing, it's ideal for outdoor areas, be it on balconies, terraces or wherever we need quality lighting with minimal consumption. Also, the support allows us to adjust the floodlight into the required position.

You'll find this White 30W Slim LED Floodlight here on our online lighting shop. It's available in 3 colour temperatures so that you can choose the one that best suits your needs.

*This proudct comes with a pre-wired cable that's approximately 300mm.





Additional photographs

