





Models

Colour Temperature	Ref:
 Warm White 3000K - 3500K	3623-8192
 Cool White 4000K - 4500K	3623-8193
 Daylight 6000K - 6500K	3623-8194



Technical Details

Power:	10 W	IP Protection:	IP65
Power Factor:	0.98	IK Protection:	IK08
Voltage:	220-240V AC	Material:	Glass, Aluminium
Frequency:	50-60 Hz	Installation:	Surface
Protection Class:	I	Size:	88x120x28 mm
Light Source:	SMD2835	Height:	88 mm
Lumens:	1000 lm	Width:	120 mm
Luminous Efficiency:	100 lm/W	Length:	28 mm
LED Performance:	120 lm/W	Cable Length	300 mm
Energy Efficiency 2021 (UE-1369/2017):	A+	Total Weight:	0.30 kg
Energy Efficiency 2023 (UE-2019/2015):	F	Working Temperature:	-20°C ~ +45°C
Beam Angle:	110°	Life Span:	60,000 Hours
Lens Type:	Transparent	Warranty:	3 Years
Use:	Outdoor	Certifications:	CE & RoHS, TÜV



Description

This Black 10W Slim LED Floodlight stands out for its compact design and minimalist finish.

Characteristics of this Black 20W Slim LED Floodlight

The incorporated light source is perfect for replacing a 100W halogen bulb and saving in energy consumption. It's therefore **an ideal unit for being installed in outdoor areas**.

It has a **special glass prismatic diffuser that noticeably reduces annoyances caused by glare, providing a UGR<19 glare factor, making this floodlight perfect for all sorts of areas. Also, as it has an IP65 Protection factor, and also an aluminium housing, it's ideal for outdoor areas**, be it on balconies, terraces or wherever we need quality lighting with minimal consumption. Also, the support allows us to adjust the floodlight into the required position.

You'll find this Black 10W Slim LED Floodlight here on our online lighting shop. It's available in 3 colour temperatures so that you can choose the one that best suits your needs.

*This proudct comes with a pre-wired cable that's approximately 300mm.



Additional photographs

