



Models

Colour Temperature	Ref:
<input type="checkbox"/> Cool White 4000K	5596-12637
<input checked="" type="checkbox"/> Daylight 6500K	5596-151297

Technical Details

Power:	30 W	IP Protection:	IP66
Power Factor:	0.90	IK Protection:	IK08
Voltage:	220-240V AC	Material:	PC
Frequency:	50-60 Hz	Installation:	Surface
Protection Class:	II	Size:	59x69x1201 mm
Light Colour:	Daylight, Cool White	Height:	59 mm
CRI:	80	Width:	69 mm
Lumens:	3600 lm	Length:	1201 mm
Luminous Efficiency:	120 lm/W	Includes:	Driver
Energy Efficiency 2021 (UE-1369/2017):	A+	Life Span:	30,000 Hours
Energy Efficiency 2023 (UE-2019/2015):	D	Warranty:	2 Years
Beam Angle:	120°	Certifications:	CE & RoHS, UKCA
Lens Type:	Frost	Brand:	PHILIPS
Use:	Indoor, Outdoor		



Description

This PHILIPS Ledinaire 30W 120cm WT060C Tri-Proof LED Light IP66 offers optimal lightign results under all kinds of weather conditions.

Its highly efficient light source provides 120lm/W, which is **perfect for replacing fluorescent 60W panels**. Offers homogeneous light thanks to a 120° opening angle. The frosted finish of the luminaire reduces glare.

It has a PC (polycarbonate) cover, with material resistant to water, dust and corrosion. With an IP66 Protection factor, this 30W 120cm WT060C Tri-Proof LED Light is protected against atmospheric conditions and the weather. It has a working life of 30,000 hours.

This PHILIPS Ledinaire 120cm 30W LED Tri-Proof Kit WT060C IP66 is ideal for installing in a large variety of places, such as factories, warehouses, car parks, tunnels and terraces.

Philips Warranty Policy, Terms and Conditions



Additional photographs

