



Models

Colour Temperature	Ref:
<input type="checkbox"/> Cool White 4000K - 4500K	1138-2113
<input checked="" type="checkbox"/> Daylight 6000K - 6500K	1138-2112

Technical Details

Power:	6 W	IP Protection:	IP20
Voltage:	220-240V AC	IK Protection:	IK05
Multi-Voltage:	85-265V AC	Material:	Aluminium
Frequency:	50-60 Hz	Installation:	Surface
Protection Class:	II	Size:	44x120x120 mm
Light Source:	OSRAM	Height:	44 mm
CRI:	80	Width:	120 mm
Lumens:	480 lm	Length:	120 mm
Energy Efficiency 2021 (UE-1369/2017):	A	Frame:	Silver
Energy Efficiency 2023 (UE-2019/2015):	F	Working Temperature:	-20°C ~ +45°C
Beam Angle:	120°	Life Span:	40,000 Hours
Lens Type:	Frost	Warranty:	3 Years
Use:	Indoor	Certifications:	CE & RoHS, UKCA



Ambience





Description

The 6W Silver Metal Square LED Surface Panel 120x120mm has a modern design that allows for a quick and easy installation.

The 480 lumens provided by its light source is equivalent to a 12W low-consumption luminaire. This allows us to reduce consumption costs by half. This 6W Square Design Silver Metal LED Surface Panel 120x120mm **has a high Colour Rendering Index that's above 80, which guarantees the natural representation of colours.**

It's widely used for general lighting in homes, especially in passing areas such as hallways, entrances or stairways. Even then, it can perfectly function in all sorts of indoor spaces. **The light is emitted in a uniform manner** thanks to the frosted diffuser it incorporates and a wide 120° opening angle.



Additional photographs

