



Models

Technical Details

Maximum Power:	60 W
Voltage:	220-240V AC
Frequency:	50-60 Hz
Protection Class:	II
Screw:	E27
Points of Light:	1
Light Source:	E27 Bulb
Use:	Indoor, Outdoor
IP Protection:	IP44
Material:	PC
Installation:	Surface
Size:	190x264x102 mm

Height:	190 mm
Width:	264 mm
Length:	102 mm
Detector:	PIR
Detection Distance:	6 m
Detection Angle:	180°
Working Temperature:	-20°C ~ +40°C
Doesn't include:	Bulbs
Life Span:	40,000 Hours
Warranty:	5 Years
Certifications:	CE & RoHS, UKCA



Description

This Surface Panel with a PIR Motion Detector 264x190 mm remains OFF, only turning ON when necessary.

This luminaire allows us to reduce energy costs to a minimum, as it only turns ON when detecting movement within its radius and, after some time has past, it turns OFF without us having to do anything. **The brightness of the light depends on the E27 LED bulb that we install inside.**

Configuration of this Surface Panel with a PIR Motion Detector 264x190 mm

We can adjust certain functions of this Surface Panel, like detection distance, light sensitivity (day/night) and ON time.

- Detection angle: 180°.
- Detection distance: 9 metres max.
- Minimum ON time: 10 seconds \pm 3 seconds.
- Maximum ON time: 5 minutes \pm 1 minute.
- Installation height: 1.8-2 metres.
- Detection speed: 0.6-1.5 m/s.
- Maximum permitted wattage: 60W approximately

Optimize your energy savings with this Surface Panel with a PIR Motion Detector 264x190 mm, available here at LEDKIA, our online LED lighting shop.

Requires 1 x E27 Bulb that's NOT INCLUDED



Additional photographs

