





Models

Colour Temperature	Ref:
Warm White 3000K - 3500K	3629-8210
Daylight 4000K	3629-8211
Cool White 6500K	3629-8212

Technical Details

Power	50 W
Tension	220-240V AC
Frequency	50-60 Hz
Electric Insulation Class	I
Adjustable	No
Light Source	SMD2835
Brightness	5000 lm
Luminous Efficiency	100 lm/W
LED Performance	120 lm/W
Type of Lens	Transparent
Use	Outdoor
IP Protection	IP65

IK Protection	IK08
Material	Crystal, Aluminum
Installation	Surface
High	163 mm
Wide	235 mm
Lenght	36 mm
Useful life	60,000 Hours
Selectable Opening Angle	110
Light color	Cool White, Daylight, Warm White
Color Temperature	6500K, 4000K, 3000K - 3500K
Energy Efficiency 2023 (EU-2019/2015	5) F
Energy Efficiency 2023 (EU-2019/2015	5) F





Description

This Black 50W Slim LED Floodlight stands out for its compact design and minimalist finish.

Characteristics of this Black 50WSlim LED Floodlight

This Black 50W UltraSlim LED Floodlight is small and has modern and functional design.

Its SMD2835 optic is very efficient. The light is distributed over a 110° angle and is perfect for lighting in all sorts of settings. **It offers** considerable energy savings.

It's designed for lighting outdoor areas **and has IP65 Protection**. It's made of high quality aluminium, which can contribute to efficiently eliminating heat that is generated.

Applications for this Black 50W Slim LED Floodlight

It's mainly used on balconies, terraces and gardens, where we want to reduce energy consumption without sacrificing light quality.

Enjoy this Black 50W Slim LED Floodlight at the best price at LEDKIA, our online lighting shop.

*This product is pre-wired with a 300mm cable. approximately.





Additional photographs







