



Models

Colour Temperature	Ref:
<input checked="" type="checkbox"/> Warm White 3000K	466-1040
<input type="checkbox"/> Cool White 4000K	466-1041

Technical Details

Power:	1.5 W	IP Protection:	IP20
Voltage:	220-240V AC	Material:	Fireproof PC
Multi-Voltage:	85-265V AC	Installation:	Recessed
Frequency:	50-60 Hz	Size:	94x94x60 mm
Points of Light:	1	Height:	94 mm
CRI:	70	Width:	94 mm
Lumens:	165 lm	Length:	60 mm
Energy Efficiency 2021 (UE-1369/2017):	A	Total Weight:	0.13 kg
Energy Efficiency 2023 (UE-2019/2015):	F	Life Span:	40,000 Hours
Beam Angle:	120°	Warranty:	3 Years
Use:	Indoor	Certifications:	CE & RoHS, UKCA



Ambience





Description

The 1.5W Randy Recessed Wall LED Spotlight in Grey is the perfect solution for marking corridors and staircases. It allows us, with a modern design, to highlight those passage areas with a dim but not insufficient lighting.

It has a power of 1.5W and a brightness of 165 lm, which will be more than enough to fulfil its task. Its opening angle is 120° and its colour rendering index is 70. The 1.5W Grey Wall Recessed LED Beacon is made of very resistant fireproof PC and its dimensions are 94x94x60 mm.

Its installation requires a cut-out of 75x75x45 mm and it is connected directly to the mains without the need for transformers.

Advantages of the 1.5W Randy Wall LED Spotlight in Grey

The main advantage of these LED beacons is that they are energy efficient, which allows us to save up to 80% in electricity consumption. This, together with their energy efficiency, makes LED lighting the main option when choosing a lighting system.

Another advantage of the Randy LED beacon over halogen beacons is that the former are much more environmentally friendly, **as they emit practically no CO2 and contain no polluting substances.**

What are you waiting for to use the 1.5W Randy Wall LED Spotlight in Grey? An efficient, ecological and economical option for signalling corridors and stairs.



Additional photographs

