



Models

LED Starter	Colour Temperature	Ref:
<input type="checkbox"/>	No Flicker Warm White 2800K - 3200K	5801-179255
<input type="checkbox"/>	No Flicker Daylight 3800K - 4200K	5801-179260
<input type="checkbox"/>	No Flicker Cool White 6000K - 6500K	5801-179261





Technical Details

Power	18 W
Tension	220-240V AC
Rated Voltage	85-265V AC
Frequency	50-60 Hz
Casquillo	T8
Color Rendering Index (CRI)	80
Brightness	2340 lm
Luminous Efficiency	130 lm/W
Use	Indoor

IP Protection	IP20
Material	Pc
Lenght	1200 mm
Selectable Opening Angle	300
Tube Length	120 cm
Light color	Cool White, Daylight, Warm White
Color Temperature	6000K - 6500K, 3800K - 4200K, 2800K - 3200K
Energy Efficiency 2023 (EU-2019/2015)	F
Flicker	No Flicker



Description

This Kit includes a lamp holder and a 120cm 18W T8 G13 Nano PC LED Tubes 130lm/W. To feed the tube, we'll have to keep in mind the icon that the tube has at one end. This will tell us at which end we'll have to feed the tube. We'll need to place the end of the tube with the icon into the lamp holder, which has the red and brown cables. Next, we'll feed the lamp holder using the red and brown cables (consult diagram).

*The size of the lamp holder is 1200x33x14 mm.

*The size of the tube is Ø28x1200 mm.

*Led Starter not included.

*T8 LED Tube Installation Guide



Additional photographs

