



## Models

Power (W)

☐ 3 W

Ref:

93440-194978



## Technical Details

<b>Power:</b>	3 W
<b>Voltage:</b>	220-240V AC
<b>Multi-Voltage:</b>	100-240V AC
<b>Frequency:</b>	50-60 Hz
<b>Output:</b>	5V / 1A
<b>Protection Class:</b>	II
<b>Light Source:</b>	SMD2835
<b>Number of LEDs:</b>	24
<b>IP Protection:</b>	IP44

<b>Material:</b>	Aluminium, PC
<b>Size:</b>	290x40x12 mm
<b>Height:</b>	290mm
<b>Width:</b>	40 mm
<b>Length:</b>	12 mm
<b>Cable Length</b>	1500 mm
<b>Life Span:</b>	30,000 Hours
<b>Warranty:</b>	3 Years
<b>Certifications:</b>	CE & RoHS, UKCA



## Description

Aquarium Nano LED 3W IP66 is a lighting screen for small aquariums up to 260mm. The aquarium lighting allows fish and plants to develop properly in optimal conditions simulating a natural habitat.

### Characteristics of the Aquarium Nano LED 3W IP66

The display emits different types of lights thanks to its **24 integrated LEDs**, of which 13 are cool white, 6 blue, 4 red and 1 green, allowing you to choose between **2 modes: blue only**, recommended for night operation, or **full colour**, a balanced full spectrum with the combination of cool and blue LEDs for optimal growth of plants and fish in the aquarium.

It is integrated into the top of the tank by means of the two included brackets, which can be removed and adjusted to the screen to the size of the aquarium from 470mm to 285 mm. In addition, its structure is made of aluminium and has a discreet design. It is suitable for freshwater and saltwater aquariums. It does not require any extra maintenance and due to its IP66 rating, it is resistant to possible water jets.

It is supplied with a DC adapter power supply and European plug, which makes it easy to install. This power supply is not protected against liquids due to its IP20, so it should not be submerged in water under any circumstances.

Get the best energy-saving aquarium lighting at the best price in our online shop.



## Additional photographs

