






Models

Colour Temperature	Ref:
 Warm White 3000K	5354-12191
 Cool White 4000K	5354-12192
 Daylight 6000K	5354-12193

Technical Details



Power:	1.5 W
Voltage:	220-240V AC
Frequency:	50-60 Hz
Protection Class:	II
Points of Light:	1
Light Source:	SMD
Number of LEDs:	35
Lumens:	100 lm
Energy Efficiency 2021 (UE-1369/2017):	A+
Energy Efficiency 2023 (UE-2019/2015):	F
Use:	Outdoor
IP Protection:	IP65

IK Protection:	IK06
Flicker Free:	YES
Material:	PC
Colour Code:	RAL 7024
Installation:	Surface
Size:	230x80x33 mm
Height:	230 mm
Width:	80 mm
Length:	33 mm
Total Weight:	0.21 kg
Warranty:	3 Years
Certifications:	CE & RoHS, UKCA



Ambience

Measures





Description

This Grey 1.5W Chester Light (IP65) is a signal light with an elegant and modern design that will provide outdoor spaces with a minimalist touch. **The light emitted by this outdoor step light is provided by 1.5W SMD LEDs.** The power of this step light is provided by a connection straight to the mains, as it works at 220V.

Its high quality PC finish and an IP65 Protection factor make this light highly resistant to dust and water. Therefore, it can be installed in a large variety of spaces such as balconies, facades, gardens or outdoor areas. It can be attached to any surface by just screwing it into any wall. As a way of maintaining IP65 Protection, the client must make sure to keep these components correctly protected.

Thanks to a wide variety of lights, you can find everything you need here on our online lighting shop and make the most of your outdoor spaces.

* Product colour is RAL 7009



Additional photographs

