





## Models

Colour Temperature	Ref:
Warm White 3200K	63976-130792
Cool White 4000K	63976-125167
Daylight 6500K	63976-125164

## **Technical Details**

Power:	36 W	Use:	Indoor, Outdoor
Voltage:	220-240V AC	<b>IP Protection:</b>	IP65
Frequency:	50-60 Hz	IK Protection:	IK07
Protection Class:	II	Material:	PC
Light Source:	SMD2835	Installation:	Surface
CRI:	80	Size:	25x38x1200 mm
Lumens:	3600 lm	Height:	25 mm
Luminous Efficiency:	100 lm/W	Width:	38 mm
Energy Efficiency 2021 (UE-	Working Temperature:	-40°C ~ +40°C	
1369/2017):	A+	Life Span:	40,000 Hours
Energy Efficiency 2023 (UE-	iency 2023 (UE- F	Warranty:	3 Years
2019/2015):	•	Certifications:	CE & RoHS, UKCA
Beam Angle:	120°		
Lens Type:	Frost		





## Description

The 120cm 36W IP65 Tri-Proof LED Batten is perfect for both garden and garage lighting. Its design adds a simple but modern touch that goes well with any style.

Characteristics of the 1200mm 36W IP65 Tri-Proof LED Batten

LEDs with SMD2835 technology offer high luminosity distributed over an opening angle of 120°. Both the housing and the cover of the Batten LED Screen 120cm IP65 36W are made of polycarbonate, which is a very solid material that presents a high resistance to water, dust and corrosion. All this is summarised in the IP65 protection ratings.

Applications of the 120cm 36W IP65 Tri-Proof LED Batten

The design and characteristics of this LED screen position it as the **perfect solution for the lighting of large and diverse interior spaces, such as factories, warehouses, car parks, tunnels, terraces**... as well as outdoor locations such as gardens. Discover the 36W 1200mm IP65 Tri-Proof LED Batten at our lighting shop Ledkia and join the energy saving of LED lighting.





## Additional photographs

