



## Models

Colour Temperature	Ref:
<input type="checkbox"/> Daylight 6000K	4577-10747
<input type="checkbox"/> No Flicker Warm White 3000K	4577-179099
<input type="checkbox"/> No Flicker Cool White 4000K	4577-179106

## Technical Details

<b>Power:</b>	9 W
<b>Power Factor:</b>	0.95
<b>Voltage:</b>	220-240V AC
<b>Multi-Voltage:</b>	100-265V AC
<b>Frequency:</b>	50-60 Hz
<b>Screw:</b>	T5
<b>CRI:</b>	80
<b>Lumens:</b>	900 lm
<b>LED Performance:</b>	100 lm/W
<b>Energy Efficiency 2021 (UE-1369/2017):</b>	A+
<b>Energy Efficiency 2023 (UE-2019/2015):</b>	F

<b>Beam Angle:</b>	300°
<b>Use:</b>	Indoor
<b>IP Protection:</b>	IP20
<b>Material:</b>	Glass
<b>Size:</b>	600xØ22 mm
<b>Length:</b>	600 mm
<b>Diameter:</b>	Ø22 mm
<b>Working Temperature:</b>	-20°C ~ +45°C
<b>Life Span:</b>	40,000 Hours
<b>Warranty:</b>	2 Years
<b>Certifications:</b>	CE & RoHS, UKCA



## Description

**This pack is made up of 10x 60cm 2ft 9W T5 Glass LED Tube with Double-Sided Power. These tubes are perfect for replacing conventional fluorescent tubes in homes, commercial spaces or offices.**

The 900 lumens that are provided by the LED light source are equivalent to a 20W fluorescent tube. This allows us to enjoy **savings of up to 50%** on electrical consumption. Its opening angle is 300°, which is perfect for large, open spaces. This 600mm 9W T5 Glass LED Tube with Double-Sided Power is made of glass and has A+ energy efficiency.

It works by being plugged directly into the mains, **allowing us to remove the residual consumption of ballasts and starters**, offer higher durability and less need for maintenance. This 60cm 2ft 9W T5 Glass LED Tube with Double-Sided Power turns On immediately and does not flicker.

\*Not recommended for installation in closed luminaires.

\*T8 LED Tube Installation Guide



## Additional photographs

