



Ref: 9997



Μ	od	el	s
Μ	od	e	S

Driver Type	Colour Temperature	Ref:
No Dimmable	Daylight 4000K	9997-23749
Dimmable 1-10V	Daylight 4000K	9997-23758





## **Technical Details**

Power	24 W	Dazz
Tension	220-240V AC	Mate
Frequency	50-60 Hz	Insta
<b>Electric Insulation Class</b>	s II	High
Adjustable	No	Diam
Light Source	SAMSUNG SMD2835	Room
<b>Color Rendering Index</b>	85	Usefu
(CRI)	00	Selec
Brightness	2520 lm	Light
Luminous Efficiency	105 lm/W	Color
LED Performance	120 lm/W	Energ
Type of Lens	Frost	2019
Use	Indoor	Drive
IP Protection	IP44	Bran

Dazzle Factor	UGR 23
Material	Pc, Aluminum
Installation	Recessed
High	55 mm
Diameter	237 mm
Room Temperature Work	-10 °C~+45 °C
Useful life	40,000 Hours
Selectable Opening Angle	110
Light color	Daylight
Color Temperature	4000K
Energy Efficiency 2023 (EU- 2019/2015)	F
Driver Type	Dimmable 1-10V, No Dimmable
Brand Driver	LIFUD





Ref. 999

## Description

The **24W 4000K SAMSUNG New Aero LIFUD LED Downlight UGR19 Cut Ø 200 mm** has amazing attributes and is an excellent option for general lighting in commercial spaces.

## Features of 24W 4000K SAMSUNG New Aero LIFUD LED Downlight UGR19 Cut Ø 200 mm

It features high-performance components such as a Lifud driver and high-efficiency **Epistar-SMD2835 LED chips.** With a luminous output of **120 lm/W**, this LED downlight is the perfect replacement for low-power **50W** downlights. It has a high CRI, so it faithfully displays colours.

The design of the 24W 4000K SAMSUNG New Aero LIFUD LED Downlight UGR19 provides uniform light distribution with a **beam** angle of **110** °. An opal diffuser is also included to help reduce glare.

It operates at a multi-voltage of **100-240V AC** and requires a 200mm cut-out for recessed installation. It is made of aluminium which contributes to improved durability of the luminaire which has an estimated lifespan of **30,000** hours.

It is mainly used in spaces requiring long hours of active use such as shops, museums, shopping centres, hotels, supermarkets, restaurants, etc. It plays a key role as a general lighting luminaire.

Purchase the 24W 4000K SAMSUNG New Aero LIFUD LED Downlight UGR19 with dimming or non-dimming capabilities at LEDKIA, our online lighting store.

\* The dimmable version has a 1-10V dimming system.

\* The technical characteristics that appear in the video may vary. Please consult the technical data sheet for more information.





Ref: 9997

## Additional photographs





