



Models

Colour Temperature	Ref:
 Warm White 2700K - 3200K	435-915
 Cool White 4000K - 4500K	435-2024
 Daylight 5000K - 5500K	435-204966
 Daylight 6000K - 6500K	435-916



Technical Details

Power:	6 W	IK Protection:	IK05
Voltage:	220-240V AC	Material:	PC, Aluminium
Multi-Voltage:	85-265V AC	Installation:	Recessed
Frequency:	50-60 Hz	Size:	20xØ118 mm
Protection Class:	II	Cut-Out	Ø110mm
Light Source:	OSRAM	Height:	20 mm
Light Colour:	Daylight, Cool White, Warm White	Diameter:	Ø118 mm
CRI:	80	Frame:	Silver
Lumens:	400 lm	Working Temperature:	-20°C ~ +45°C
Energy Efficiency 2021 (UE-1369/2017):	A+	Includes:	Driver
Energy Efficiency 2023 (UE-2019/2015):	F	Life Span:	40,000 Hours
Beam Angle:	120°	Warranty:	3 Years
Use:	Indoor	Certifications:	CE & RoHS, UKCA
IP Protection:	IP20		



Description

The Silver Round 6W UltraSlim LED Panel has an extra-slim design and a very elegant finish.

The integrated SMD 2835 light source **provides an equivalent luminosity to a conventional luminaire with about 35W of power.** In this way we achieve substantial savings in electricity consumption. At the same time, it has a long useful life of up to 30,000 hours and does not require any kind of maintenance. It is perfect as a general space light, as its opening angle is 120°.

Applications of the Silver Round 6W UltraSlim LED Panel

Due to its power and benefits, this **LED Panel is a widely used LED lighting element in corridors, halls, staircases** or for those spaces where low energy light is required.

Get the Silver Round 6W UltraSlim LED Panel from our online lighting shop Ledkia with the best price and quality.



Additional photographs

