



Models

| Colour | Ref: |
|---|-------------|
| <input type="checkbox"/> White | 36015-75507 |
| <input checked="" type="checkbox"/> Black | 36015-75525 |

Technical Details

| | | | |
|-----------------------|------------|------------------------|-----------------|
| Maximum Power: | 80 W | Size: | 50x50x45 mm |
| Multi-Voltage: | 85-265V AC | Height: | 50 mm |
| Frequency: | 50-60 Hz | Width: | 50 mm |
| Dimmable: | TRIAC | Length: | 45 mm |
| Use: | Indoor | Warranty: | 3 Years |
| IP Protection: | IP20 | Certifications: | CE & RoHS, UKCA |
| Material: | PCB | | |



Description

This LED Dimmer Switch allows us to control the brightness of any LED elements that can accept 1-100% dimming, as is with the products that can be found in the 'accessories' sections.

This LED Dimmer allows us to create welcoming environments whilst also allowing us to have well-lit areas, all with a single spin of the dimmer or the single press of a button on the infrared-sensor remote control that's included (10-15 metre range). Said remote control allows us to raise or lower brightness and also assign turn-OFF times.

In order to dim our **LED Filament Bulbs**, this type of Triac LED Dimmer Switch is required.

*Recessed Installation.

* Supports up to 500W resistive load and up to 80W LED load.

*Capable of powering up to approximately 300W in total.

*This switch cuts the Sine wave at the end, that's why this is a 'Trailing-Edge' Dimmer.



Additional photographs

