



## Models

Colour Temperature

Ref:

☐ Daylight 3800K - 4200K

26232-55743



## Technical Details

Power	30 W
Tension	220-240V AC
Rated Voltage	180-265V AC
Frequency	50-60 Hz
Electric Insulation Class	II
Adjustable	No
Light Source	SMD2835
Color Rendering Index (CRI)	80
Brightness	3600 lm
Luminous Efficiency	120 lm/W
Type of Lens	Frost
Use	Indoor
IP Protection	IP44

IK Protection	IK05
Dazzle Factor	UGR 23
Material	Pc, Aluminum
Installation	Recessed
High	33 mm
Diameter	220 mm
Room Temperature Work	-10 °C~+45 °C
Includes	Driver
Useful life	40,000 Hours
Selectable Opening Angle	120
Light color	Daylight
Color Temperature	3800K - 4200K
Energy Efficiency 2023 (EU-2019/2015)	D



## Description

**The Round 30W High Lumen LED Panel stands out for its excellent luminous output of 120lm/W as well as its slim design,** making it the perfect solution for installations where space is limited.

It features an integrated SMD LEDs that provide **high quality light distributed at a beam angle of 120°**. Its performance is perfect to replace a halogen luminaire up to 300W and it has a lifespan of 30,000 working hours.

### Advantages of the Round 30W High Lumen LED Panel

The main advantage of this type of LED panel is its compact size, which allows you to install it into false ceilings, even with limited space. At the same time, its reduced consumption and durability **allow you to drastically reduce the cost of your electricity bill as well as the cost of maintenance** and light replacement.

Enjoy the Round 30W High Lumen LED Panel with an **unbeatable price**, only available at LEDKIA our online lighting shop.



## Additional photographs

