





Models

Colour Temperature	Ref:
 Warm White 3000K - 3500K	368-1352
 Daylight 5500K	368-1351



Technical Details

Power:	13 W	Use:	Outdoor
Power Factor:	0.95	IP Protection:	IP64
Voltage:	220-240V AC	IK Protection:	IK06
Multi-Voltage:	85-265V AC	Special:	Street Lights
Frequency:	50-60 Hz	Material:	ABS
Screw:	E27	Size:	157xØ48 mm
Light Source:	EPISTAR SMD2835	Length:	157 mm
CRI:	75	Diameter:	Ø48 mm
Lumens:	1430 lm	Total Weight:	0.07 kg
LED Performance:	110 lm/W	Working Temperature:	-20°C ~ +45°C
Energy Efficiency 2021 (UE-1369/2017):	A+	Life Span:	50,000 Hours
Energy Efficiency 2023 (UE-2019/2015):	F	Warranty:	3 Years
Beam Angle:	360°	Certifications:	CE, UKCA, RoHS
Lens Type:	Transparent		



Description

LED lamp designed specifically for street lighting, has a large energy conversion and few maintenance costs. It offers instant ignition, dedicating all the energy consumed to the creation of light. The energy savings that are achieved allow a quick amortization of the initial investment. Long service life, robustness and high vibration resistance.

The E27 13W LED Corn Lamp for Public Lighting IP64 is perfect for replacing conventional cob lamps.

It integrates Epistar-SMD2835 LEDs and **it achieves a brightness of 1430 lumens, similar to a conventional lamp up to 120W**, spread over an opening angle of 360°. This street lighting lamp presents the typical form of cob and offers us significant savings in light consumption. Its long service life of 30,000 hours is much higher than that of a conventional luminaire.

Recommended for the lighting of industrial warehouses, warehouses, workshops, factories, gas stations, car parks, supermarkets, etc. In short, interior spaces that need a sturdy and quality lighting system. The E27 13W LED Corn Lamp for Public Lighting IP64 is **made of high-strength ABS and has an IK06 impact resistance index.**

Get this E27 13W LED Corn Lamp for Public Lighting IP64 in various light color temperatures to choose from and enjoy the most eco-friendly lighting.

* Install in open luminaires.



Additional photographs

