





## Models

Colour Temperature	Ref:
Warm White 2700K	1992-3273
Daylight 4000K	1992-3274
Cool White 5000K	1992-3275

## **Technical Details**

Tension	220-240V AC
Frequency	50-60 Hz
Electric Insulation Class	II
Light Source	SMD3030
Type of Lens	Frost
Use	Indoor, Outdoor
IP Protection	IP44
Material	Pc

Installation	Recessed
Diameter	115 mm
Room Temperature Work	-20 °C~+45 °C
Selectable Opening Angle	120
Light color	Cool White, Daylight, Warm White
Color Temperature	5000K, 4000K, 2700K
Energy Efficiency 2023 (EU- 2019/2015)	F
Revisión Control de Calidad	No





## **Description**

This Round 10W IP44 LED Downlight Especially for Bathrooms has an elegant design and a round shape that offers optimal results, both in light quality and energy costs, allowing us to have general or accent lighting with minimal consumption.

Its SMD3030 light source provides us with 937 lumens, equivalent to a conventional 80W luminaire, approximately. Its opening angle is 120°, which is perfect for obtaining homogeneous light. This 10W LED Downlight Especially for Bathrooms (IP44) works at 220-240V AC and doesn't require an earth connection.

Made from PC and with a recessed design, **this LED downlight is designed for indoors, like in bathrooms** or other humid rooms, and outdoors, always under covered areas, thanks to its IP44 Protection. It has a 30,000 hour working life.

Enjoy the best LED lighting in any room in the house with our Round 10W LED Downlight Especially for Bathrooms (IP44), available here at LEDKIA, our online lighting shop.





## Additional photographs

